



Screwdriving Technology

Automation

Air Motors

Air Tools




DEPRAG
INDUSTRIAL

Carbide burrs


Carbide burrs for steel / aluminium


(cylindrical, spherical, elliptical, dendritic, flame, tapered etc.)



CARBIDE BURRS FOR STEEL


Design



Model		Part No.	Basic size (mm)				
			$\varnothing d_1$	$\varnothing d_2$	l_1	l_2	a
	SA-42M	6074551	2,5	3	38	11	-
	SA-1M	6074576	6	6	50	16	-
	SA-3M	6074577	9,5	6	63	19	-
	SA-5M	6074552	12,7	6	69	25	-
	SB-43M	6074553	3	3	38	14	-
	SB-1M	6074578	6	6	50	16	-
	SB-3M	6074579	9,5	6	63	19	-
	SB-5M	6074565	12,7	6	69	25	-
	SC-42M	6074556	3	3	38	14	-
	SC-1M	6074555	6	6	50	16	-
	SC-3M	6074557	9,5	6	63	19	-
	SC-5M	6074558	12,7	6	69	25	-
	SD-42M	6074559	3	3	38	2,8	-
	SD-1M	6074580	6	6	50	5	-
	SD-3M	6074581	9,5	6	52	8	-
	SD-5M	6074560	12,7	6	55	11	-
	SE-41M	6074561	3	3	38	5,5	-
	SE-1M	6074582	6	6	50	9,5	-
	SE-3M	6074583	9,5	6	60	16	-
	SE-5M	6074562	12,7	6	66	22	-
	SF-42M	6074563	3	3	38	12,7	-
	SF-1M	6074584	6	6	50	16	-
	SF-3M	6074564	9,5	6	63	19	-
	SF-5M	6074565	12,7	6	69	25	-
	SG-43M	6074566	3	3	38	6	-
	SG-1M	6074585	6	6	50	16	-
	SG-3M	6074567	9,5	6	63	19	-
	SG-5M	6074586	12,7	6	69	25	-
	SH-41M	6074568	3	3	38	6,3	-
	SH-53M	6074587	5	3	38	9,5	-
	SH-2M	6074588	8	6	63	19	-
	SH-5M	6074569	12,7	6	76	32	-
	SL-42M	6074570	3	3	38	12,7	8°
	SL-1M	6074589	6	6	50	16	14°
	SL-3M	6074590	9,5	6	74	27	14°
	SL-4M	6074571	12,7	6	76	28	14°
	SM-42M	6074572	3	3	38	11	14°
	SM-2M	6074591	6	6	50	19	14°
	SM-4M	6074572	9,5	6	63	16	28°
	SM-5M	6074573	12,7	6	69	22	28°
	SN-42M	6074574	3	3	38	4	10°
	SN-1M	6074593	6	6	50	8	10°
	SN-2M	6074594	9,5	6	53	9,5	13°
	SN-4M	6074575	12,7	6	57	12,7	28°

CARBIDE BURRS FOR ALUMINIUM

Design



Model		Part No.	Basic size (mm)				
			ø d ₁	ø d ₂	l ₁	l ₂	a
Cylindrical		SA-1MNF	6	6	50	19	-
		SA-3MNF	9,5	6	63	19	-
		SA-5MNF	12,7	6	69	25	-
		SA-6MNF	16	6	69	25	-
		SA-7MNF	19	6	69	25	-
Cylindrical with cutting face		SB-1MNF	6	6	50	19	-
		SB-3MNF	9,5	6	63	19	-
		SB-5MNF	12,7	6	69	25	-
		SB-6MNF	16	6	69	25	-
		SB-7MNF	19	6	69	25	-
Cylindrical with rounded end		SC-1MNF	6	6	50	19	-
		SC-3MNF	9,5	6	63	19	-
		SC-5MNF	12,7	6	69	25	-
		SC-7MNF	19	6	69	25	-
Spherical		SD-1MNF	6	6	50	5	-
		SD-3MNF	9,5	6	52	8	-
		SD-5MNF	12,7	6	55	11	-
		SD-6MNF	16	6	58	14	-
		SD-7MNF	19	6	62	16	-
Elliptical		SE-3MNF	9,5	6	60	16	-
		SE-5MNF	12,7	6	66	22	-
		SE-6MNF	16	6	69	25	-
		SE-7MNF	19	6	69	25	-
Dendritic with rounded end		SF-1MNF	6	6	50	19	-
		SF-3MNF	9,5	6	63	19	-
		SF-5MNF	12,7	6	69	25	-
		SF-6MNF	16	6	69	25	-
		SF-14MNF	19	6	76	32	-
Tapered with rounded end		SL-3MNF	9,5	6	74	27	14°
		SL-4MNF	12,7	6	76	28	14°
		SL-5MNF	16	6	77	30	14°
		SL-7MNF	19	6	85	38	14°

